

| taxon_family_name | taxon_genus_name | taxon_scientific_name | taxon_common_name |
|-------------------|-----------------------|----------------------------------|-----------------------------------------|
| Agaricaceae | <i>Agaricus</i> | <i>Agaricus campestris</i> | meadow mushroom |
| Agaricaceae | <i>Chlorophyllum</i> | <i>Chlorophyllum molybdites</i> | green-spored parasol |
| Agaricaceae | <i>Leucocoprinus</i> | <i>Leucocoprinus leucothites</i> | white dapperling |
| Amanitaceae | <i>Amanita</i> | <i>Amanita bisporigera</i> | eastern north American destroying angel |
| Amanitaceae | <i>Amanita</i> | <i>Amanita velatipes</i> | great funnel-veil amanita |
| Anthracoideaceae | <i>Anthracoidea</i> | | |
| Auriculariaceae | <i>Exidia</i> | <i>Exidia crenata</i> | american amber jelly fungus |
| Auriculariaceae | <i>Exidia</i> | <i>Exidia nigricans</i> | warlock's butter |
| Auriscalpiaceae | <i>Artomyces</i> | <i>Artomyces pyxidatus</i> | crown-tipped coral fungus |
| Auriscalpiaceae | <i>Lentinellus</i> | | |
| Bolbitiaceae | <i>Bolbitius</i> | <i>Bolbitius coprophilus</i> | |
| Bolbitiaceae | <i>Bolbitius</i> | <i>Bolbitius titubans</i> | yellow fieldcap |
| Bolbitiaceae | <i>Conocybe</i> | <i>Conocybe apala</i> | milky conecap |
| Boletaceae | <i>Leccinum</i> | <i>Leccinum insigne</i> | aspen bolete |
| Boletaceae | <i>Leccinum</i> | <i>Leccinum scabrum</i> | brown birch-bolete |
| Boletinellaceae | <i>Boletinellus</i> | <i>Boletinellus merulioides</i> | ash-tree bolete |
| Bondarzewiaceae | <i>Bondarzewia</i> | <i>Bondarzewia berkeleyi</i> | berkeley's polypore |
| Candelariaceae | <i>Candelaria</i> | <i>Candelaria concolor</i> | candleflame lichen |
| Candelariaceae | <i>Candelaria</i> | <i>Candelaria fibrosa</i> | fringed candleflame lichen |
| Cenangiaceae | <i>Chlorencoelia</i> | <i>Chlorencoelia versiformis</i> | olive-brown cup |
| Cerrenaceae | <i>Cerrena</i> | <i>Cerrena unicolor</i> | mossy maze polypore |
| Chlorociboriaceae | <i>Chlorociboria</i> | | |
| Cladoniaceae | <i>Cladonia</i> | <i>Cladonia cristatella</i> | British soilder lichen |
| Clavicipitaceae | <i>Claviceps</i> | <i>Claviceps purpurea</i> | rye ergot |
| Coprinaceae | <i>Coprinus</i> | <i>Coprinus</i> | inky caps |
| Coprinaceae | <i>Coprinus</i> | <i>Coprinus comatus</i> | shaggy mane |
| Crepidotaceae | <i>Crepidotus</i> | <i>Crepidotus applanatus</i> | flat crep |
| Cryphonectriaceae | <i>Aurantioportha</i> | <i>Aurantioportha corni</i> | dogwood golden canker |
| Dacrymycetaceae | <i>Dacrymyces</i> | <i>Dacrymyces chrysospermus</i> | orange jelly spot |
| Dacrymycetaceae | <i>Dacrymyces</i> | <i>Dacrymyces spathularia</i> | fan-shapped jelly fungus |
| Dacrymycetaceae | <i>Dacrymyces</i> | <i>Dacrymyces stillatus</i> | jelly spot fungus |
| Diaporthaceae | <i>Diaporthe</i> | | |
| Didymellaceae | <i>Epicoccum</i> | <i>Epicoccum andropogonis</i> | andropogon false-smut |
| Discinaceae | <i>Neogyromitra</i> | <i>Neogyromitra brunnea</i> | |
| Erysiphaceae | <i>Erysiphe</i> | <i>Erysiphe necator</i> | grape powdery mildews |

| | | | |
|--------------------|------------------------|-------------------------------------------------|----------------------------------|
| Galeropsidaceae | <i>Panaeolus</i> | <i>Panaeolus cinctulus</i> | banded mottlegill |
| Galeropsidaceae | <i>Panaeolus</i> | <i>Panaeolus foenicicii</i> | mower's mushroom |
| Gloeophyllaceae | <i>Gloeophyllum</i> | <i>Gloeophyllum sepiarium</i> | conifer mazegill |
| Gnomoniaceae | <i>Ophiognomonia</i> | <i>Ophiognomonia clavignenti-juglandacearum</i> | butternut canker |
| Gymnosporangiaceae | <i>Gymnosporangium</i> | <i>Gymnosporangium clavipes</i> | quince rust |
| Gymnosporangiaceae | <i>Gymnosporangium</i> | <i>Gymnosporangium juniperi-virginianae</i> | cedar-apple rust |
| Hericiaceae | <i>Hericium</i> | <i>Hericium coralloides</i> | coral tooth fungus |
| Hydnaceae | <i>Multiclavula</i> | <i>Multiclavula mucida</i> | white green-algae coral |
| Hydnangiaceae | <i>Laccaria</i> | <i>Laccaria laccata</i> | deceiver |
| Hydnangiaceae | <i>Laccaria</i> | <i>Laccaria ochropurpurea</i> | purple-and-white deceiver |
| Hydnangiaceae | <i>Laccaria</i> | <i>Laccaria proxima</i> | scurfy deceiver |
| Hygrophoraceae | <i>Arrhenia</i> | <i>Arrhenia epichysium</i> | brown goblet |
| Hygrophoraceae | <i>Hygrocybe</i> | <i>Hygrocybe conica</i> | witch's hat |
| Hygrophoraceae | <i>Hygrophorus</i> | <i>Hygrophorus roseobrunneus</i> | rosy brown waxy cap |
| Hymenochaetaceae | <i>Hydnoporia</i> | <i>Hydnoporia olivacea</i> | brown-toothed crust fungus |
| Hymenochaetaceae | <i>Phellinus</i> | <i>Phellinus tremulae</i> | aspen bracket |
| Hymenochaetaceae | <i>Trichaptum</i> | <i>Trichaptum biforme</i> | violet-toothed polypore |
| Hymenogastraceae | <i>Agrocybe</i> | <i>Agrocybe pediades</i> | common fieldcap |
| Hymenogastraceae | <i>Agrocybe</i> | <i>Agrocybe praecox</i> | spring fieldcap |
| Hymenogastraceae | <i>Galerina</i> | <i>Galerina</i> | moss bell |
| Hymenogastraceae | <i>Galerina</i> | <i>Galerina marginata</i> | funeral bell |
| Hymenogastraceae | <i>Galerina</i> | <i>Galerina vittiformis</i> | hairy leg bell |
| Hymenogastraceae | <i>Hemipholiota</i> | <i>Hemipholiota populnea</i> | destructive pholiota |
| Hymenogastraceae | <i>Hemistropharia</i> | <i>Hemistropharia albocrenulata</i> | white-crested scaly |
| Hymenogastraceae | <i>Naucoria</i> | <i>Naucoria</i> | aldercaps |
| Hypoxylaceae | <i>Annulohypoxylon</i> | <i>Annulohypoxylon thouarsianum</i> | crampballs |
| Hypoxylaceae | <i>Daldinia</i> | <i>Daldinia childiae</i> | |
| Irpicaceae | <i>Gloeoporus</i> | <i>Gloeoporus dichrous</i> | bicolored bracket |
| Irpicaceae | <i>Irpex</i> | <i>Irpex lacteus</i> | milk-white toothed polypore |
| Irpicaceae | <i>Trametopsis</i> | <i>Trametopsis cervina</i> | deer-colored trametes |
| Ischnodermataceae | <i>Ischnoderma</i> | <i>Ischnoderma resinsum</i> | resinous polypore |
| Laetiporaceae | <i>Laetiporus</i> | <i>Laetiporus cincinnatus</i> | white-pored chicken of the woods |
| Laetiporaceae | <i>Laetiporus</i> | <i>Laetiporus sulphureus</i> | chicken of the woods |
| Lycoperdaceae | <i>Apioperdon</i> | <i>Apioperdon pyriforme</i> | pear-shaped puffball |
| Lycoperdaceae | <i>Bovista</i> | <i>Bovista pila</i> | tumbling puffball |
| Lycoperdaceae | <i>Bovista</i> | <i>Bovista plumbea</i> | lead-grey puffball |

| | | | |
|--------------------|----------------------|-----------------------------------|-----------------------------------|
| Lycoperdaceae | <i>Calvatia</i> | <i>Calvatia gigantea</i> | giant puffball |
| Lycoperdaceae | <i>Lycoperdon</i> | <i>Lycoperdon curtisii</i> | Curtis's puffball |
| Lycoperdaceae | <i>Lycoperdon</i> | <i>Lycoperdon excipuliforme</i> | pestle puffball |
| Lycoperdaceae | <i>Lycoperdon</i> | <i>Lycoperdon perlatum</i> | common puffball |
| Lyophyllaceae | <i>Hypsizygus</i> | <i>Hypsizygus ulmarius</i> | elm mushroom |
| Marasmiaceae | <i>Marasmius</i> | <i>Marasmius</i> | pinwheels and parachute mushrooms |
| Meruliaceae | <i>Climacodon</i> | <i>Climacodon septentrionalis</i> | northern tooth |
| Meruliaceae | <i>Phlebia</i> | <i>Phlebia radiata</i> | wrinkled crust |
| Morchellaceae | <i>Morchella</i> | <i>Morchella americana</i> | American yellow morel |
| Mycenaceae | <i>Mycena</i> | <i>Mycena</i> | bonnets |
| Mycenaceae | <i>Mycena</i> | <i>Mycena crocea</i> | walnut mycena |
| Mycenaceae | <i>Mycena</i> | <i>Mycena galericulata</i> | common bonnet |
| Mycenaceae | <i>Mycena</i> | <i>Mycena leaiana</i> | orange mycena |
| Mycenaceae | <i>Mycena</i> | <i>Mycena oregonensis</i> | western yellow mycena |
| Mycosphaerellaceae | <i>Ramularia</i> | <i>Mycosphaerella fraxinicola</i> | ash leaf spot |
| Nidulariaceae | <i>Cyathus</i> | <i>Cyathus striatus</i> | fluted bird's nest fungus |
| Omphalotaceae | <i>Mycetinis</i> | <i>Mycetinis scorodoniis</i> | vampire's bane |
| Ophiostomataceae | <i>Ophiostoma</i> | <i>Ophiostoma ulmi</i> | Dutch elm disease |
| Orbiliaceae | <i>Orbilina</i> | <i>Orbilina xanthostigma</i> | glasscup |
| Parmeliaceae | <i>Flavoparmelia</i> | <i>Flavoparmelia caperata</i> | common greenshield lichen |
| Parmeliaceae | <i>Punctelia</i> | <i>Punctelia</i> | speckled shield lichens |
| Parmeliaceae | <i>Punctelia</i> | <i>Punctelia bolliana</i> | eastern speckled shield lichen |
| Paxillaceae | <i>Paxillus</i> | <i>Paxillus involutus</i> | brown roll-rim |
| Peniophoraceae | <i>Peniophora</i> | <i>Peniophora albobadia</i> | giraffe spots |
| Pezizaceae | <i>Phylloscypha</i> | <i>Phylloscypha phylogena</i> | common brown cup |
| Pezizellaceae | <i>Calycina</i> | <i>Calycina citrina</i> | yellow fairy cups |
| Phaeolaceae | <i>Phaeolus</i> | <i>Phaeolus schweinitzii</i> | dyer's polypore |
| Phallaceae | <i>Mutinus</i> | <i>Mutinus elegans</i> | devil's dipstick |
| Phallaceae | <i>Phallus</i> | <i>Phallus ravenelii</i> | ravenel's stinkhorn |
| Phallaceae | <i>Phallus</i> | <i>Satyryx rugulosus</i> | wrinkly stinkhorn |
| Phanerochaetaceae | <i>Bjerkandera</i> | <i>Bjerkandera adusta</i> | smoky polypore |
| Phleogenaceae | <i>Phleogena</i> | <i>Phleogena faginea</i> | fenugreek stalkball |
| Phlyctidaceae | <i>Phlyctis</i> | <i>Phlyctis argena</i> | whitewash lichen |
| Physalacriaceae | <i>Armillaria</i> | <i>Armillaria</i> | honey mushrooms |
| Physalacriaceae | <i>Oudemansiella</i> | <i>Oudemansiella</i> | rooting shanks |
| Physciaceae | <i>Phaeophyscia</i> | <i>Phaeophyscia</i> | wreath lichens |

| | | | |
|---------------------|------------------------|----------------------------------------|----------------------------|
| Physciaceae | <i>Physcia</i> | <i>Physcia</i> | rosette lichens |
| Physciaceae | <i>Physcia</i> | <i>Physcia adscendens</i> | hooded rosette lichen |
| Physciaceae | <i>Physcia</i> | <i>Physcia americana</i> | American rosette lichen |
| Physciaceae | <i>Physconia</i> | <i>Physconia leucoleiptes</i> | bottle-brush frost lichen |
| Pisolithaceae | <i>Pisolithus</i> | <i>Pisolithus arhizus</i> | dyeball |
| Pleurotaceae | <i>Hohenbuehelia</i> | <i>Hohenbuehelia petaloides</i> | shoehorn oyster |
| Pleurotaceae | <i>Pleurotus</i> | <i>Pleurotus citrinopileatus</i> | golden oyster mushroom |
| Pleurotaceae | <i>Pleurotus</i> | <i>Pleurotus levis</i> | lynx paw oyster |
| Pleurotaceae | <i>Pleurotus</i> | <i>Pleurotus ostreatus</i> | oyster mushroom |
| Pleurotaceae | <i>Pleurotus</i> | <i>Pleurotus pulmonarius</i> | pale oyster |
| Pluteaceae | <i>Pluteus</i> | <i>Pluteus cervinus</i> | deer mushroom |
| Pluteaceae | <i>Pluteus</i> | <i>Pluteus chrysophlebius</i> | yellow deer mushroom |
| Polyporaceae | <i>Cerioporus</i> | <i>Cerioporus squamosus</i> | dryad's saddle |
| Polyporaceae | <i>Daedaleopsis</i> | <i>Daedaleopsis confragosa</i> | thin-walled maze polypore |
| Polyporaceae | <i>Fomes</i> | <i>Fomes fomentarius</i> | hoof fungus |
| Polyporaceae | <i>Ganoderma</i> | <i>Ganoderma applanatum</i> | artist's bracket |
| Polyporaceae | <i>Ganoderma</i> | <i>Ganoderma lobatum</i> | soft artist's conk |
| Polyporaceae | <i>Ganoderma</i> | <i>Ganoderma megaloma</i> | |
| Polyporaceae | <i>Neofavolus</i> | <i>Neofavolus alveolaris</i> | hexagonal-pored polypore |
| Polyporaceae | <i>Picipes</i> | <i>Picipes badius</i> | bay polypore |
| Polyporaceae | <i>Trametes</i> | <i>Trametes cinnabarina</i> | northern cinnabar polypore |
| Polyporaceae | <i>Trametes</i> | <i>Trametes conchifer</i> | little nest polypore |
| Polyporaceae | <i>Trametes</i> | <i>Trametes gibbosa</i> | lumpy bracket |
| Polyporaceae | <i>Trametes</i> | <i>Trametes hirsuta</i> | hairy bracket |
| Polyporaceae | <i>Trametes</i> | <i>Trametes pubescens</i> | |
| Polyporaceae | <i>Trametes</i> | <i>Trametes versicolor</i> | turkey-tail |
| Psathyrellaceae | <i>Coprinellus</i> | <i>Coprinellus micaceus</i> | mica cap |
| Psathyrellaceae | <i>Coprinopsis</i> | <i>Coprinopsis atramentaria</i> | common inkcap |
| Psathyrellaceae | <i>Coprinopsis</i> | <i>Coprinopsis lagopus</i> | hare's foot inkcap |
| Psathyrellaceae | <i>Coprinopsis</i> | <i>Coprinopsis romagnesiana</i> | |
| Psathyrellaceae | <i>Coprinopsis</i> | <i>Coprinopsis variegata</i> | scaly ink cap |
| Psathyrellaceae | <i>Parasola</i> | <i>Parasola plicatilis</i> | pleated inkcap |
| Psathyrellaceae | <i>Psathyrella</i> | <i>Psathyrella ammophila</i> | beach brittlestem |
| Pseudoclitocybaceae | <i>Pseudoclitocybe</i> | <i>Pseudoclitocybe cyathiformis</i> | the goblet |
| Pucciniaceae | <i>Puccinia</i> | <i>Puccinia andropogonis pustulata</i> | orange-yellow rust |
| Pucciniaceae | <i>Puccinia</i> | <i>Puccinia coronata</i> | crown rust |

| | | | |
|-------------------|----------------------|-------------------------------------|--------------------------|
| Pucciniaceae | <i>Uromyces</i> | <i>Uromyces ari-triphylli</i> | jack-in-the-pulpit rust |
| Pyronemataceae | <i>Scutellinia</i> | <i>Scutellinia scutellata</i> | common eyelash |
| Ramalinaceae | <i>Ramalina</i> | <i>Ramalina americana</i> | sinewed bushy lichen |
| Rhytismataceae | <i>Rhytisma</i> | <i>Rhytisma americanum</i> | American tar spot |
| Rigidoporaceae | <i>Rigidoporus</i> | <i>Rigidoporus populinus</i> | poplar bracket |
| Russulaceae | <i>Russula</i> | <i>Heterophyllidia</i> | |
| Russulaceae | <i>Lactarius</i> | <i>Lactarius</i> | common milkcaps |
| Russulaceae | <i>Lactarius</i> | <i>Lactarius camphoratus</i> | curry milkcap |
| Russulaceae | <i>Lactarius</i> | <i>Lactarius indigo</i> | indigo milk cap |
| Russulaceae | <i>Lactarius</i> | <i>Lactarius psammicola</i> | |
| Russulaceae | <i>Russula</i> | <i>Russula</i> | brittlegills |
| Sarcoscyphaceae | <i>Sarcoscypha</i> | <i>Sarcoscypha</i> | elf cups |
| Schizophyllaceae | <i>Schizophyllum</i> | <i>Schizophyllum commune</i> | splitgill mushroom |
| Sclerodermataceae | <i>Scleroderma</i> | <i>Scleroderma citrinum</i> | common earthball |
| Sebacinaceae | <i>Sebacina</i> | <i>Sebacina sparassoidea</i> | white coral jelly fungus |
| Steccherinaceae | <i>Steccherinum</i> | <i>Steccherinum ochraceum</i> | ochre spreading tooth |
| Stereaceae | <i>Aleurodiscus</i> | <i>Aleurodiscus oakesii</i> | smooth patch disease |
| Stereaceae | <i>Stereum</i> | <i>Stereum complicatum</i> | crowded parchment |
| Stereaceae | <i>Stereum</i> | <i>Stereum lobatum</i> | false turkeytail |
| Stereaceae | <i>Stereum</i> | <i>Stereum striatum</i> | silky parchment |
| Strophariaceae | <i>Pholiota</i> | <i>Pholiota</i> | scalycaps |
| Strophariaceae | <i>Pholiota</i> | <i>Pholiota adiposa</i> | chestnut mushroom |
| Strophariaceae | <i>Pholiota</i> | <i>Pholiota granulosa</i> | |
| Strophariaceae | <i>Pholiota</i> | <i>Pholiota squarrosoides</i> | sharp-scaly pholiota |
| Strophariaceae | <i>Stropharia</i> | <i>Stropharia rugosoannulata</i> | wine-cap stropharia |
| Suillaceae | <i>Suillus</i> | <i>Suillus</i> | slippery jacks |
| Suillaceae | <i>Suillus</i> | <i>Suillus americanus</i> | chicken fat mushroom |
| Suillaceae | <i>Suillus</i> | <i>Suillus granulatus</i> | dotted-stalked suillus |
| Teloschistaceae | <i>Gyalolechia</i> | <i>Gyalolechia flavovirescens</i> | sulphur firedot |
| Teloschistaceae | <i>Teloschistes</i> | <i>Teloschistes chrysophthalmus</i> | golden-eye lichen |
| Teloschistaceae | <i>Xanthomendoza</i> | <i>Xanthomendoza fallax</i> | hooded sunburst lichen |
| Teloschistaceae | <i>Xanthomendoza</i> | <i>Xanthomendoza hasseana</i> | poplar sunburst lichen |
| Teloschistaceae | <i>Xanthomendoza</i> | <i>Xanthomendoza ulophyllodes</i> | powdery sunburst lichen |
| Tremellaceae | <i>Tremella</i> | <i>Tremella mesenterica</i> | witch's butter |
| Tremellaceae | <i>Protohydnum</i> | <i>Protohydnum album</i> | white jelly fungi |
| Tricholomataceae | <i>Tricholoma</i> | <i>Tricholoma terreum</i> | grey knight |

| | | | |
|-----------------------|------------------------|-------------------------------|---------------------|
| Tubariaceae | <i>Tubaria</i> | <i>Tubaria furfuracea</i> | scurfy twiglet |
| Ustilaginaceae | <i>Sporisorium</i> | <i>Sporisorium</i> | |
| Ustilaginaceae | <i>Ustilago</i> | <i>Ustilaginomyces</i> | smut fungi |
| Venturiaceae | <i>Apiosporina</i> | <i>Apiosporina morbosa</i> | black knot |
| Verrucosporaceae | <i>Lepiota</i> | <i>Lepiota cristata</i> | stinking dapperling |
| Xylariaceae | <i>Kretzschmaria</i> | <i>Kretzschmaria deusta</i> | brittle cinder |
| Xylariaceae | <i>Xylaria</i> | <i>Xylaria hypoxylon</i> | candlesnuff fungus |
| Xylariaceae | <i>Xylaria</i> | <i>Xylaria polymorpha</i> | dead man's fingers |